

**Grandmas Kitchen** Product: Product#: SC-GK

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 1 of 8 Print Date: 2023-08-08 10:27

2580 Milford Square Pike Quakertown PA 18951 215-538-8552 www.candlesandsupplies.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### **Product identifier** 1.1

Trade Name: Grandmas Kitchen

Product/Sales No: SC-GK

UFI#

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Candles and Supplies Manufacturer: 2580 Milford Square Pike Quakertown, PA 18951 215-538-8552 www.candlesandsupplies.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 4	H312 : Harmful in contact with skin
Skin Corrosion/Irritation, Category	1B H314 : Causes severe skin burns and eye damage
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category	2 H411 : Toxic to aquatic life with long lasting effects
lassification OSHA (Provisions 1910	0.1200 of title 29)
Acute Toxicity Dermal, Category 4	H312 : Harmful in contact with skin

### Cla

Acute Toxicity Dermal, Category 4
Skin Corrosion/Irritation, Category 1B
Sensitization, Skin, Category 1A

- H314 : Causes severe skin burns and eye damage
- H317 : May cause an allergic skin reaction

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

#### Hazard pictograms







2580 Milford Square Pike Quakertown PA 18951

## **Safety Data Sheet**

Product: Grandmas Kitchen Product#: SC-GK Revised Date: 2023-02-06 00:00

Page 2 of 8 Print Date: 2023-08-08 10:27

215-538-8552 www.candlesandsupplies.com		
Signal Word: Danger		
Hazard statements		
H303	May be harmful if swallowed	
H312	Harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H333	May be harmful if inhaled	
H411	Toxic to aquatic life with long lasting effects	
Precautionary Statements		
Prevention:		
P260	Do not breathe dust/fume/gas/mist/vapors/spray	
P264	Wash hands thoroughly after handling	
P272	Contaminated work clothing should not be allowed out of the workplace	
P273	Avoid release to the environment	
Response:		
P301 + P310 + P330 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Do NOT induce vomiting	
P302 + P352	IF ON SKIN: Wash with soap and water	
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower	
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing	
P312	Call a POISON CENTER or doctor/physician if you feel unwell	
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention	
P340	Remove victim to fresh air and keep at rest in a position comfortable for breathing	
P363	Wash contaminated clothing before reuse	
P391	Collect Spillage	

#### 2.3 Other Hazards

#### no data available

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
88-41-5 2-t-Butylcy	201-828-7 clohexyl acetate	30 - 40 %	H227; H303; H316; H401; H411
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl Ber	nzoate		



2580 Milford Square Pike Quakertown PA 18951

# Safety Data Sheet

Product: Grandmas Kitchen Product#: SC-GK SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 3 of 8 Print Date: 2023-08-08 10:27

215-538-8552 www.candlesandsuppl				Pfifit Date: 2023-06-06 ft
CAS#	C#	Conc. Range	GHS Classification	
<b>122-97-4</b> 20	04-587-6	10 - 20 %	H303; H313; H314; H318; H402	
3-Phenyl-1-pr	opanol			
<b>97-53-0</b> 20	)2-589-1	5 - 10 %	H303; H316; H317; H319; H401	
Eugenol				
<b>91-64-5</b> 20	)2-086-7	5 - 10 %	H301; H317; H402	
Coumarin				
<b>105-53-3</b> 20	)3-305-9	2 - 5 %	H227; H319; H402	
Diethyl malon	ate			
<b>104-67-6</b> 20	)3-225-4	2 - 5 %	H316; H402; H412	
gamma-Unde	calactone			
<b>104-55-2</b> 20	03-213-9		H303; H312; H315; H317; H319; H401;	
Cinnamal			H412	
<b>103-26-4</b> 20	)3-093-8	2 - 5 %	H303; H317	
Methyl cinnan	nate			
<b>115-95-7</b> 20	04-116-4	1 - 2 %	H227; H315; H317; H320; H402	
Linalyl Acetate	e			
<b>78-70-6</b> 20	01-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	
Linalool				
See Section 16 fo	r full text of GH	IS classification	codes	

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

### 4. First Aid Measures

#### 4.1 Description of first aid measures

-	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and eff	ects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

2580 Milford Square Pike Quakertown PA 18951 215-538-8552 www.candlesandsupplies.com Product: Grandmas Kitchen Product#: SC-GK

Page 4 of 8 Print Date: 2023-08-08 10:27

www.candlesandsupplies.com	
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substance or mixture	
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

#### Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

6.

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.<br/>as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.



Product: Grandmas Kitchen Product#: SC-GK SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 5 of 8 Print Date: 2023-08-08 10:27

2580 Milford Square Pike Quakertown PA 18951 215-538-8552 www.candlesandsupplies.com

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0605
%VOC:	5.20
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

### 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg Acute toxicity - Dermal - (Rabbit) mg/kg Acute toxicity - Inhalation - (Rat) mg/L/4hr Skin corrosion / irritation (LD50: 2016.1290) May be harmful if swallowed (LD50: 1751.3134) Harmful in contact with skin (LD50: 35.3656) May be harmful if inhaled Causes severe skin burns and eye damage



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

2580 Milford Square Pike Quakertown PA 18951 215-538-8552 www.candlesandsupplies.com Product: Grandmas Kitchen Product#: SC-GK

Page 6 of 8 Print Date: 2023-08-08 10:27

www.candiesandsupplies.com	
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

# **12.** Ecological Information 12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 88-41-5 : (30 - 40 %) : 2-t-Butylcyclohexyl acetate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Ro	ad/Rail)	Not Regulated	I - Not Dangerou	s Goods	
Environmentally Hazardou Substance, Liquid, n.o.s IATA (Air Cargo)		9	III		UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

QUAKERTOWN, 2	Product:	Gran	dmas Kitchen	
2580 Milford Square Pike Quakertown PA 18951 215-538-8552 www.candlesandsupplies.com	Product#:	SC-GF	{	Page 7 of 8 Print Date: 2023-08-08 10:27
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III	UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111	UN3082
<b>15. Regulatory Infor</b> U.S. Federal Regulations	mation			
TSCA (Toxic Substance Control Act)		All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA, SARA, CEF U.S. State Regulations	RCLA and C	AA)	This product contains NO compo	nents of concern.
California Proposition 65 W Canadian Regulations	arning		No Warning required	
DSL			100.00% of the components are	isted or exempt.

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H302 : Harmful if swallowed H314 : Causes severe skin burns and eye damage H316 : Causes mild skin irritation H318 : Causes serious eye damage H320 : Causes eye irritation	H301 : Toxic if swallowed H313 : May be harmful in contact with skin H315 : Causes skin irritation H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life H412 : Harmful to aquatic life with long lasting effects	H402 : Harmful to aquatic life
Total Fractional Values (TFV) Risk (141.38) Acute Toxicity Inhalation, Category 5 (23.80) Aquatic Chronic Toxicity, Category 3 (11.92) Eye Damage/Eye Irritation, Category 2A (8.60) Sensitization, Skin, Category 1B (2.48) Acute Toxicity Oral, Category 5 (2.08) Skin Corrosion/Irritation, Category 1B (1.14) Acute Toxicity Dermal, Category 4	<ul> <li>(TFV) Risk</li> <li>(24.00) Sensitization, Skin, Category 1A</li> <li>(15.74) Skin Corrosion/Irritation, Category 3</li> <li>(10.78) Skin Corrosion/Irritation, Category 2</li> <li>(2.56) Aquatic Chronic Toxicity, Category 4</li> <li>(2.36) Aquatic Chronic Toxicity, Category 2</li> <li>(2.08) Skin Corrosion/Irritation, Category 1C</li> </ul>

Department issuing data sheet: Department E-mail address: Regulatory Affairs Group RegAffairs@Agilexfragrances.com



Product: Grandmas Kitchen Product#:SC-GK SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 8 of 8 Print Date: 2023-08-08 10:27

2580 Milford Square Pike Quakertown PA 18951 215-538-8552 www.candlesandsupplies.com

Remarks

This safety data sheet is based on the properties of the material known to Candles and Supplies at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Candles and Supplies holds no responsibility. This document is not intended for quality assurance purposes.