

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42968.993928.12029873

Product: Leather Revision

Product#: **5210568** Page 1 of 7 SKU#: **SC-LEA** 2017-08-23

# Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Leather Revision

Product/Sales No: 5210568

1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Candles and Supplies

2580 Milford Square Pike Quakertown PA 18951 USA 215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

1.4 Emergency telephone number

(800) 819-6118 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 215-538-8552 International

# 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 1B H314: Causes severe skin burns and eye damage

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 11 : May cause skin irritation.

16 : Causes eye irritation.

Acute Oral 3: May be harmful if swallowed.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

heart, hematopoietic system.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

# 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42968.993928.12029873

Product: Leather Revision

Product#: **5210568** Page 2 of 7
SKU#: **SC-LEA** 2017-08-23







# Signal Word: Danger

## **Hazard statments**

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life

# **Precautionary Statements**

## Prevention:

H411

P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product

Toxic to aquatic life with long lasting effects

P273 Avoid release to the environment

### Response:

P301 + P310 + P330 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Do NOT induce vomiting
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P330	Rinse mouth
P338	Remove contact lenses if present and easy to do. continue rinsing
P340	Remove victim to fresh air and keep at rest in a position comfortable for breathing
P351	Rinse cautiously with water for several minutes
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

## 2.3 Other Hazards

no data available

# Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	FC#	Conc.		
Ingredient	LO#	Range	GHS Classification	OSHA Classification



Quakertown PA 18951 USA

215-538-8552 FAX 215-538-8175

Safety Data Sheet

SDS Type: GHS / OSHA

**OSHA Classification** 

28.3

11, 15

26

DOC ID: 42968.993928.12029873

Product: **Leather Revision** 

Product#: 5210568 Page 3 of 7 SKU#: SC-LEA 2017-08-23

http://www.candlesandsupplies.net Conc. EC# **GHS Classification** Ingredient Range 120-51-4 204-402-9 70 - 80 % H302; H313; H400; H411 Benzyl Benzoate 576-26-1 209-400-1 5 - 10 % H227; H301; H311; H314; H318; H401; H411 2,6-Xylenol 107-41-5 203-489-0 2 - 5 % H319

8001-26-1 232-278-6 0.1 - 1.0 %

H302; H312; H315; H317; H319; H332; 11, 15

Linum usitatissimum (Linseed) seed oil See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.00

### First Aid Measures

2-Methyl-2,4-pentandiol

#### Description of first aid measures 4.1

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Remove contaminated clothes. Wash thoroughly with water (and soap). Skin Exposure:

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

#### 5. Fire-Fighting measures

Extinguishing media 5.1

> Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions



# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42968.993928.12029873

Product: Leather Revision

 Product#:
 5210568
 Page 4 of 7

 SKU#:
 SC-LEA
 2017-08-23

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

# 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Nearly Colorless G0

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Plashpoint (CCCFP):

Auto flammability:

Not determined

Not determined

Not determined

Not determined



Quakertown PA 18951 USA

215-538-8552 FAX 215-538-8175 http://www.candlesandsupplies.net

Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42968.993928.12029873

Product: **Leather Revision** 

Product#: 5210568 Page 5 of 7 2017-08-23 SKU#: SC-LEA

Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0054 %VOC: 0.05 Specific Gravity @ 25 C: 1.0710 Density @ 25 C: 1.0680 Refractive Index @ 20 C: 1.5390 Soluble in: Oil

#### 10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 957.63) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2,626.36) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 423.68) May be harmful if inhaled Skin corrosion / irritation Causes severe skin burns and eye damage

Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization Not classified - the classification criteria are not met Skin sensitization Not classified - the classification criteria are not met Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Reproductive toxicity Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

#### 12. **Ecological Information**

### 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

no data available Toxicity Data on soil



# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42968.993928.12029873

Product: Leather Revision

Product#: **5210568** Page 6 of 7 SKU#: **SC-LEA** 2017-08-23

**Toxicity on other organisms** no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

# 15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

93-15-2 202-223-0 <= 2 ppm Methyl Eugenol (NFS)

Canadian Regulations:

**DSL / NDSL** 100.00% of the components are listed or exempt.



# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 42968.993928.12029873

Product: Leather Revision

Product#: **5210568** Page 7 of 7 SKU#: **SC-LEA** 2017-08-23

### 16. Other Information

### GHS H-Statements referred to under section 3

### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.00) Skin Corrosion/Irritation, Category 1B (3.01) Aquatic Acute Toxicity, Category 1

(3.29) Aquatic Chronic Toxicity, Category 2

**Department issuing data sheet:** Regulatory Affairs Group

Department E-mail address: info@candlesandsupplies.com

#### Remarks

This safety data sheet is based on the properties of the material known to Candles and Supplies at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Candles and Supplies holds no responsibility. This document is not intended for quality assurance purposes.