CANDLES & SUPPLIES

GANDLE & SOAP MAKING SUPPLIES

Issue date: 05/31/2023 Version: 1 (05/31/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: PATCHOULI VALENSIA (Contains:4-tert-Butylcyclohexyl acetate, Benzyl salicylate, alpha-

Hexylcinnamaldehyde, d-Limonene)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Candles and Supplies
Company address: 2580 Milford Square Pike

Quakertown PA 18951

USA

Contact: Regulatory Affairs

E-Mail address: info@candlesandsupplies.com

Company phone: 215-538-8552

1.4 Emergency telephone number

Emergency phone: 800-819-6118

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger:

Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid. H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements


Signal word: Warning

Hazard statements: H227, Combustible liquid.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.





In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 5.2470%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	5-<10%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410
d-Limonene	5989-27-5	5-<10%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
LILIAL SUB		5-<10%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319
2-Isobutyl-4-methyltetrahydro- 2H-pyran-4-ol	63500-71-0	1-<5%	Eye Irrit. 2A;H319
Ethyl vanillin	121-32-4	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402





In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1


Benzyl salicylate	118-58-1	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412
Phenethyl alcohol	60-12-8	1-<5%	Acute Tox. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A; H302-H313-H316-H319
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5-Aquatic Acute 2-Aquatic Chronic 3;H303-H401-H412
alpha-Hexylcinnamaldehyde	101-86-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411
alpha-Terpineol acetate	80-26-2	1-<5%	Skin Irrit. 3-Aquatic Acute 2;H316-H401
4-tert-Butylcyclohexyl acetate	32210-23-4	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402
Geranyl acetate	105-87-3	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412
Eugenol	97-53-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H316-H317-H319-H401
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317-H319-H402
Coumarin	91-64-5	1-<5%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402
Vanillin	121-33-5	1-<5%	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319-H402
Acetyl cedrene	32388-55-9	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410
Geraniol	106-24-1	1-<5%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1- Aquatic Acute 3;H303-H315-H317-H318-H402
3-(5,5,6-Trimethylbicyclo[2.2.1] hept-2-yl)cyclohexan-1-ol	3407-42-9	1-<5%	Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 2;H316-H319-H400-H411
dl-Citronellol	106-22-9	1-<5%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401
2,2-Dimethyl-3-phenylpropanol	13351-61-6	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3- Aquatic Chronic 3;H302-H315-H319-H412
alpha-Cedrene	469-61-4	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
Hexyl salicylate	6259-76-3	0.1-<1%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410
Cinnamaldehyde	104-55-2	0.1-<1%	Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 3;H303- H312-H315-H317-H319-H401-H412
Nerol	106-25-2	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H315-H317-H319-H401
10-Undecenal	112-45-8	0.1-<1%	Flam. Liq. 4-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2- Aquatic Chronic 3;H227-H316-H317-H401-H412
Myrcene	123-35-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319- H400-H411
Phenethyl acetate	103-45-7	0.1-<1%	Acute Tox. 5-Eye Dam. 1-Aquatic Acute 3;H303-H318- H402

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures





In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.


6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.





In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment


Odour: Characteristic
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: 91 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure:Not determinedVapour density:Not determinedRelative density:-0.0050 - 0.0050Solubility(ies):Not determined





In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Not determined

Not determined

Not determined

Viscosity:

Not determined

Explosive properties:

Not expected

Not expected

9.2 Other information:

Refractive Index @ 20C: -0.0015 - 0.0015

Flash Point (Fahrenheit): 196 °F

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:Based on available data the classification criteria are not met.
Carcinogenicity:
Based on available data the classification criteria are not met.

Page 7 (11)

Issue date: 05/31/2023 Version: 1 (05/31/2023)



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

Reproductive toxicity: Based on available data the classification criteria are not met.

STOT-single exposure: Based on available data the classification criteria are not met.

STOT-repeated exposure: Based on available data the classification criteria are not met.

Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
4-tert-Butylcyclohexyl acetate	32210-23-4	3370	Not available	Not available	Not available
Acetyl cedrene	32388-55-9	4500	Not available	Not available	Not available
Benzyl acetate	140-11-4	2490	Not available	Not available	Not available
Benzyl salicylate	118-58-1	2200	Not available	Not available	Not available
Coumarin	91-64-5	500	Not available	Not available	Not available
Ethyl vanillin	121-32-4	3000	Not available	Not available	Not available
Eugenol	97-53-0	2500	Not available	Not available	Not available
Geraniol	106-24-1	3600	Not available	Not available	Not available
Linalool	78-70-6	2790	Not available	Not available	Not available
Phenethyl alcohol	60-12-8	1610	2500	Not available	Not available
Vanillin	121-33-5	3500	Not available	Not available	Not available
alpha- Hexylcinnamaldehyde	101-86-0	3100	Not available	Not available	Not available
dl-Citronellol	106-22-9	3450	2650	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available12.5 Other adverse effects:Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.





In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, alpha-Cedrene)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, alpha-Cedrene) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, alpha-Cedrene)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, alpha-Cedrene)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

Issue date: 05/31/2023 Version: 1 (05/31/2023)



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene	123-35-3	0.1-<1%

Essential Oil Components:

Name	CAS	%
ORANGE ESSENCE OIL	8008-57-9	5-<10%
PATCHOULI OIL MD	50-6210-04-01	1-<5%
CEDARWOOD OIL TEXAS (R) DARK	68990-83-0	1-<5%

Additional formulation properties

Name	CAS	%
Ethyl vanillin	121-32-4	1-<5%
Vanillin	121-33-5	1-<5%

Components listed on California's SB312

Name	CAS	%
BENZYL SALICYLATE (R)	118-58-1	1-<5%
HEXYL CINNAMIC ALDEHYDE (R)	101-86-0	1-<5%
EUGENOL	97-53-0	1-<5%
LINALOOL	78-70-6	1-<5%
COUMARIN (C)	91-64-5	1-<5%
GERANIOL 980	106-24-1	1-<5%
CINNAMIC ALDEHYDE	104-55-2	0.1-<1%
CITRAL	5392-40-5	<0.1%

US Department Of Transport Bulk Packing - Group:

Section 16. Other information

Concentration % Limits: SCI 2=70.82% SCI 3=4.49% EDI 2A=24.48% EDI 2B=99.40% SS 1=19.

06% EH A2=11.23% EH A3=1.12% EH C2=21.10% EH C3=2.09% EH

C4=86.88%

Total Fractional Values: SCI 2=1.41 SCI 3=22.29 EDI 2A=4.09 EDI 2B=1.01 SS 1=5.25 EH A2=8.


90 EH A3=89.53 EH C2=4.74 EH C3=47.94 EH C4=1.15

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5





In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

Aquatic Acute 1 Aquatic Acute 2 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Aquatic Acute 2 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Eye Dama 1 Eye Dama 2 Eye Damage / Irritation Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 3 Filammable Ilquid and vapour: Combustible Ilquid. Hazard Category 3 Hazardous Category 3 Hazardous Category 3 Hazardous Category 4 Hazardous Ca		
Aquatic Acute 2 Aquatic Acute 3 Aquatic Acute 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Acute Hazard Category 2 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Eye Dama 1 Eye Dama 2 Eye Dama 3 Eye Dama 2 Eye Dama 3 Eye Dama 4 E	Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 3 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 Flam. Liq. 5 Flam. Liq. 5 Flam. Liq. 6 Flammable Liquid, Hazard Category 4 Flam. Liq. 6 Flammable Liquid, Hazard Category 4 Flam. Liq. 6 Flammable Liquid, Hazard Category 4 Flam. Liq. 6	Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1 Aquatic Chronic 2 Aquatic Chronic 2 Aquatic Chronic 2 Aquatic Chronic 3 Aquatic Chronic 3 Aquatic Chronic 3 Apardous to the Aquatic Environment - Long-term Hazard Category 2 Aquatic Chronic 3 App. Tox 1 Aspiration Hazard Category 1 Eye Dam. 1 Eye Dam. 1 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Inti. 2 Eye Damage / Irritation Category 2 Eye Inti. 2 Eye Damage / Irritation Category 2 Eye Inti. 2 Eye Damage / Irritation Category 2 Eye Inti. 2 Eye Damage / Irritation Category 2 Eye Inti. 2 Eye Damage / Irritation Category 2 Eye Inti. 2 Eye Damage / Irritation Category 2 Eye Inti. 2 Eye Damage / Irritation Category 2 Eye Inti. 2 Eye Damage / Irritation Category 3 Flam. Liq. 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 3 Flam.	Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Chronic 2 Aquatic Chronic 3 Aquatic Chronic 3 Apriation Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Asp. Tox 1 Aspiration Hazard Category 1 Eye Dam. 1 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2 Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Elam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. Combustible liquid H227 Combustible liquid H303 May be fatal if swallowed. H303 May be fatal if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergie skin reaction. H318 Causes serious eye damage. H319 Causes erious eye irritation. H320 Causes	Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aguatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Aspiration Hazard Category 1 Eye Dama 1 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H227 Combustible liquid. H227 Combustible liquid. H303 May be harmful if swallowed. H304 May be farall if swallowed. H305 May be harmful if swallowed. H306 May be harmful in contact with skin. Causes skin irritation. H315 Causes skin irritation. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irritation. H3110 Causes serious eye irritation. H312 Harmful ir contact life. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H414 Toxic to aquatic life with long lasting effects. H415 Very toxic to aquatic life with long lasting effects. H416 See paway from heat, sparks, open flames and hot surfaces No smoking. F233 Keep container lightly closed. Groundfond container and receiving equipment. F244 Use only non-sparking tools.	Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aspiration Hazard Category 1 Eye Dam. 1 Eye Dam. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flam. Bay 1 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H227 Combustible liquid. H320 Harmful if swallowed. H330 May be harmful if swallowed. H330 May be fatall if swallowed. H340 May be fatall if swallowed and enters aliways. H311 H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H316 Causes shir irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H320 Causes serious eye irritation. H4400 Very toxic to aquatic life. H4401 Harmful to aquatic life. H4402 Harmful to aquatic life. H4410 Vary toxic to aquatic life with long lasting effects. H4411 Toxic to aquatic life with long lasting effects. H4411 Toxic to aquatic life with long lasting effects. H4412 Harmful to aquatic life with long lasting effects. H241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing vapour or dust.	Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Eye Dam. 1 Eye Dam. 2 Eye Dam. 2 Eye Dam. 3 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2 Eye Damage / Irritation Category 3 Flam. Liq. 3 Flam. Liq. 3 Flam. Liq. 4 Flam. Liq. 5 Flam. Liq. 6 Flam. Liq. 6 Flam. Liq. 6 Flam. Liq. 6 Flam. Liq. 7 Combustible liquid. H227 Combustible liquid. H302 Harriful if swallowed. H303 May be harriful if swallowed. H304 H309 H304 H304 H304 H304 H305 H306 H306 H307 H307 H308 H308 H309 H309 H309 H309 H309 H309 H309 H309	Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2 Eye Damage / Irritation Category 2 Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 Harmful in contact with skin. H315 Harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H321 Harmful or contact with skin. H322 Harmful in contact with skin. H333 May be harmful in contact with skin. H345 Causes serious eye damage. H340 Causes serious eye irritation. H350 Causes serious eye irritation. H360 Causes serious eye irritation. H370 May cause an allergic skin reaction. H400 Very toxic to aquatic life. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P246 Wash hands and other contacted skin thoroughly after handling.	Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A Eye Damage / Irritation Category 2A Eye Irrit. 2B Eye Damage / Irritation Category 2B Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable Liquid, Hazard Category 4 H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed. H305 Harmful in contact with skin. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H310 Causes eye irritation. H311 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H320 Causes eye irritation. H340 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P240 Ground/bond container and receiving equipment. P241 Use enly non-sparking tools. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling.	Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 28 Eye Damage / Irritation Category 28 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes arious eye damage. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irritation. H3110 Causes serious eye irritation. H3111 Causes serious eye irritation. H3112 Causes serious eye irritation. H3114 Causes serious eye irritation. H315 Causes serious eye irritation. H316 Causes serious eye irritation. H317 May causes explement in the serious eye irritation. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H320 Causes eye irritation. H320 Causes eye irritation. H320 Causes eye irritation. H321 Causes eye irritation. H322 Harmful to aquatic life. H401 Toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Seep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. H240 Use only non-sparking tools. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Avoid breathing vapour or dust. H264 Wash hands and other contacted skin thoroughly after handling.	Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Liq. 4 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 4 Flammable Liquid and vapour. Combustible liquid. H227 Combustible liquid. H303 Harmid if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 H316 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Causes serious eye irritation. H319 Causes serious eye irritation. H320 Causes eye irritation. H401 Toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. Vash hands and other contacted skin thoroughly after handling.	Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 4 Flammable Liquid, Hazard Category 4 H226 Flammable liquid and vapour. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Very toxic to aquatic life. H400 Very toxic to aquatic life. H401 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H221 Use explosion-proof electrical, ventilating and lighting equipment. H222 Harmful to seven sparking tools. H243 Take precautionary measures against static discharge. H244 Wash hands and other contacted skin thoroughly after handling.	Eye Irrit. 2B	Eye Damage / Irritation Category 2B
H226 Flammable liquid and vapour. Combustible liquid. H302 Harmful if swallowed. H303 May be fatal if swallowed and enters airways. H304 Harmful in contact with skin. H315 May be harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H310 Very toxic to aquatic life. H400 Very toxic to aquatic life. H410 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H220 Ground/bond container and receiving equipment. H221 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling.	Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irritation. H3110 Causes serious eye irritation. H3110 Causes serious eye irritation. H3111 Causes serious eye irritation. H3120 Causes serious eye irritation. H3140 Very toxic to aquatic life. H401 Toxic to aquatic life. H401 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H244 Avoid breathing vapour or dust. H245 Wash hands and other contacted skin thoroughly after handling.	Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Harmful if swallowed. Harmful if swallowed. May be harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Hart skin explosion in contact with skin. Hart sk	H226	Flammable liquid and vapour.
H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling.	H227	Combustible liquid.
H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes seye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling.	H302	Harmful if swallowed.
Harmful in contact with skin. May be harmful in contact with skin. May be harmful in contact with skin. Causes skin irritation. Harmful skin irritation. May cause an allergic skin reaction. Harmful skin irritation. May cause an allergic skin reaction. Harmful skin irritation. May cause an allergic skin reaction. Harmful skin irritation. Causes serious eye damage. Causes serious eye irritation. Harmful skin irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Parmful to aquatic life with long lasting effects. Parmful to aquatic life with long lasting effects. Reep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Harmful to aquatic life. Parmful to aquatic life. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Reep container tightly closed. Causes serious eye damage. Causes serious eye damage. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Hattle to aquatic life. Harmful to aquatic life. Harmful to aquatic life. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Hattle to aquatic life. Harmful to aquatic life with long lasting effects. Hattle to aquatic life. Harmful to aquatic life with long lasting effects. Hattle to aquatic life. Hattle to aquatic life. Harmful to aquatic life with long lasting effects. Hattle to aquatic life. Hattle to aquatic life. Hattle to aquatic life. Harmful to aquatic life. Hattle to aquatic life. Hattle to aquatic life. Hattle to aquatic life. Harmful to aquatic life. Hattle to aquatic life. Hattle to aquatic	H303	May be harmful if swallowed.
H313 May be harmful in contact with skin. H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes seye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling.	H304	May be fatal if swallowed and enters airways.
H315 Causes skin irritation. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling.	H312	Harmful in contact with skin.
H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling.	H313	May be harmful in contact with skin.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling.	H315	Causes skin irritation.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling.	H316	Causes mild skin irritation.
H319 Causes serious eye irritation. H320 Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H242 Use explosion-proof electrical, ventilating and lighting equipment. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling.	H317	May cause an allergic skin reaction.
Causes eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling.	H318	Causes serious eye damage.
Very toxic to aquatic life. H400 Very toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H319	Causes serious eye irritation.
H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H320	Causes eye irritation.
H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H400	Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H401	Toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H402	Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H410	Very toxic to aquatic life with long lasting effects.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H411	Toxic to aquatic life with long lasting effects.
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	H412	Harmful to aquatic life with long lasting effects.
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	P233	Keep container tightly closed.
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	P240	Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling.	P242	Use only non-sparking tools.
P264 Wash hands and other contacted skin thoroughly after handling.	P243	Take precautionary measures against static discharge.
	P261	Avoid breathing vapour or dust.
P270 Do not eat, drink or smoke when using this product.	P264	Wash hands and other contacted skin thoroughly after handling.
	P270	Do not eat, drink or smoke when using this product.



Issue date: 05/31/2023 Version: 1 (05/31/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: PATCHOULI VALENSIA

Version: 1

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B
-	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.