

Product: Peach Reg Mod

Product#: SC-PE

Revised Date: 2021-01-12 00:00

SDS v1 GHS / OSHA

Print Date: 2022-05-16 17:34

Page 1 of 7

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Peach Reg Mod

Product/Sales No: SC-PE

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Candles and Supplies

2580 Milford Square Pike Quakertown PA 18951

T- 800-819-6118 F - 215-538-8175 www.candlesandsupplies.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Skin Corrosion/Irritation, Category 3 H316 : Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Hazard statments

H316 Causes mild skin irritation

Product: Peach Reg Mod

Product#: **SC-PE** Page 2 of 7

Print Date: 2022-05-16 17:34

Revised Date: 2021-01-12 00:00

SDS v1 GHS / OSHA

H317	May cause an allergic skin reaction	
H333	May be harmful if inhaled	
H401	Toxic to aquatic life	
H412	Harmful to aquatic life with long lasting effects	

Precautionary Statements

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
706-14-9	211-892-8	5 - 10 %	H316		
gamma-De	calactone				
10339-55-6	233-732-6	5 - 10 %	H227; H303; H316; H317; H319; H402		
Ethyl Linald	ool				
104-67-6	203-225-4	5 - 10 %	H316; H402; H412		
gamma-Un	decalactone				
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411		
Hexyl cinna	amal				
88-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411		
2-t-Butylcy	2-t-Butylcyclohexyl acetate				
140-11-4	205-399-7	2 - 5 %	H303; H401; H412		
Benzyl ace	tate				
32210-23-4	250-954-9	1 - 2 %	H303; H317; H401		
4-tert-Butyl	4-tert-Butylcyclohexyl acetate				
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410		
Hexamethy	/lindanopyran				
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412		
Geranyl Ac	etate				

Product: **Peach Reg Mod**

Product#: SC-PE

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401		
Neryl ace	tate				
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;		
Dimethyltetrahydro Benzaldehyde			H411		
See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. **First Aid Measures**

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Flush immediately with water for at least 15 minutes. **Eye Exposure:**

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. **Fire-Fighting measures**

Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. **Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

SDS v1 GHS / OSHA

Page 3 of 7

Print Date: 2022-05-16 17:34

Revised Date: 2021-01-12 00:00

Revised Date: 2021-01-12 00:00

SDS v1 GHS / OSHA

Product: **Peach Reg Mod**

Product#: SC-PE Page 4 of 7

Print Date: 2022-05-16 17:34

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. **Exposure Controls/Personal Protection**

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH OSHA **OSHA** TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Avoid Skin contact. Use chemically resistant gloves as needed. Skin protection:

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): >200 F (93.33 C)

Product: Peach Reg Mod

Product#: SC-PE

Revised Date: 2021-01-12 00:00

SDS v1 GHS / OSHA

Page 5 of 7

Print Date: 2022-05-16 17:34

Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0103 **%VOC:** 3.40

Specific Gravity @ 25 C: Not determined

Density (g/mL) @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 75.6786) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Product: Peach Reg Mod

Product#: SC-PE

SDS v1 GHS / OSHA

Revised Date: 2021-01-12 00:00

Print Date: 2022-05-16 17:34

Page 6 of 7

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning No Warning required

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

Product: Georgia Peach Reg Mod

Product#: SC-PE

SDS v1 GHS / OSHA

Revised Date: 2021-01-12 00:00

Page 7 of 7

Print Date: 2022-05-16 17:34

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H303 : May be harmful if swallowed

H313 : May be harmful in contact with skin H315 : Causes skin irritation

H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

H400 : Very Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H411 : Toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(66.07) Acute Toxicity Inhalation, Category 5 (7.59) Aquatic Chronic Toxicity, Category 3

(7.00) Sensitization, Skin, Category 1 (7.00) Sensitization, Skin, Category 1A

(6.00) Sensitization, Skin, Category 1B (2.99) Skin Corrosion/Irritation, Category 3

(2.57) Aquatic Acute Toxicity, Category 2

Department issuing data sheet: Regulatory Affairs Group

Department E-mail address: info@candlesandsupplies.com

Remarks

This safety data sheet is based on the properties of the material known to Candles and Supplies at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Candles and Supplies holds no responsibility. This document is not intended for quality assurance purposes.