

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/11/2025 Version: 1.0

SECTION 1: Identification					
1.1.	Identification				
Product	form	: Mixture			
Product	name	: PLUMERIA			
CAS-No		: MIXTURE			
Product	code	: #296574			
1.2.	Recommended use and restric	tions on use			
No additional information available					
1.3.	Supplier				

1.4. Emergency telephone number

Emergency number

: INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

SECTION 2: Hazard(s) identification	
	the substance or mix	ture
GHS US classification		
Serious eye damage/eye	H319	Causes serious eye irritation
irritation Category 2 Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Reproductive toxicity Category 2	H361	Suspected of damaging fertility or the unborn child
Full text of H statements : se	e section 16	
2.2. GHS Label eleme	ents, including precau	itionary statements
GHS US labeling		
Hazard pictograms (GHS US	5) :	
Signal word (GHS US)	:	Warning
Hazard statements (GHS US	5) :	H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H361 - Suspected of damaging fertility or the unborn child
Precautionary statements (G	SHS US) :	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	5 – 10	Acute Tox. 4 (Oral), H302
TETRA HYDRO LINALOOL	(CAS-No.) 78-69-3	5 – 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
HEXYL CINNAMAL	(CAS-No.) 101-86-0	1 – 5	Skin Sens. 1B, H317
PHENYL ETHYL ALCOHOL	(CAS-No.) 60-12-8	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
BENZYL SALICYLATE	(CAS-No.) 118-58-1	1 – 5	Eye Irrit. 2B, H320 Skin Sens. 1B, H317
AMYL CINNAMIC ALDEHYDE	(CAS-No.) 122-40-7	1 – 5	Skin Sens. 1B, H317
BUTYLPHENYL METHYLPROPIONAL	(CAS-No.) 80-54-6	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361
HEXYL SALICYLATE	(CAS-No.) 6259-76-3	1 – 5	Skin Sens. 1B, H317
ETHYL LINALOOL	(CAS-No.) 10339-55-6	1 – 5	Flam. Liq. 4, H227 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8,-hexamethyl-2- naphthyl)ethan-1-one	(CAS-No.) 21145-77-7	1 – 5	Acute Tox. 4 (Oral), H302
GERANIOL	(CAS-No.) 106-24-1	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
3 and 4-(4-Hydroxy-4-methylpentyl)cyclohex-3-ene-1- carbaldehyde	(CAS-No.) 31906-04-4	1 – 5	Skin Sens. 1A, H317
HELIONAL	(CAS-No.) 1205-17-0	< 0.5	Skin Sens. 1B, H317 Repr. 2, H361

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.
4.3. Immediate medical attention and spec	cial treatment, if necessary

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishing media				
Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.				
Unsuitable extinguishing media	Do not use a heavy water stream.			
5.2. Specific hazards arising from the chemical				
Fire hazard	No fire hazard.			
	No direct explosion hazard.			
5.3. Special protective equipment and pre	cautions for fire-fighters			
	Fight fire from safe distance and protected location. Do not enter fire area without proper			
	protective equipment, including respiratory protection.			
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			
SECTION 6: Accidental release measu	Ires			
6.1. Personal precautions, protective equi				
General measures	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.			
6.1.1. For non-emergency personnel				
Protective equipment	Wear recommended personal protective equipment.			
Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing			
	dust/fume/gas/mist/vapors/spray.			
6.1.2. For emergency responders				
	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	Evacuate unnecessary personnel. Stop leak if safe to do so.			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containmen	t and cleaning up			
	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to			
	prevent migration and entry into sewers or streams. Stop leak, if possible without risk.			
	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.			
Other information	Dispose of materials or solid residues at an authorized site.			
6.4. Reference to other sections				
For further information refer to section 13.				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
	Not expected to present a significant hazard under anticipated conditions of normal use.			
	Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.			
Hygiene measures	Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including any incompatibilities				
Technical measures : Keep in a cool, well-ventilated place away from heat.				
Storage conditions : Store locked up.				
Packaging materials	Store always product in container of same material as original container.			
SECTION 8: Exposure controls/perso	nal protection			

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TONALID (21145-77-7)
Not applicable
PHENYL ETHYL ALCOHOL (60-12-8)
Not applicable
TETRA HYDRO LINALOOL (78-69-3)
Not applicable
ETHYL LINALOOL (10339-55-6)
Not applicable
GERANIOL (106-24-1)
Not applicable
HELIONAL (1205-17-0)
Not applicable
HEXYL CINNAMIC ALDEHYDE (101-86-0)
Not applicable
HEXYL SALICYLATE (6259-76-3)
Not applicable
BENZYL BENZOATE (120-51-4)
Not applicable
LILIAL (80-54-6)
Not applicable
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE (31906-04-4)
Not applicable
AMYL CINNAMIC ALDEHYDE (122-40-7)
Not applicable
BENZYL SALICYLATE (118-58-1)
Not applicable

8.2.	Appropriate engineering controls		
Appropriate engineering controls		:	Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations				
SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Color	: No data available			
Odor	: No data available			
Odor threshold	: No data available			
pH	: No data available			
Melting point	: Not applicable			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: >100 °C			
Relative evaporation rate (butyl acetate=1)	: No data available			
Flammability	: Not applicable.			
Vapor pressure	: No data available			
Relative vapor density at 20°C	: No data available			
Relative density	: No data available			
Solubility	: No data available			
Partition coefficient n-octanol/water (Log Pow)	: No data available			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
No data availableViscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosion limits	: No data available			
Explosive properties	: No data available			
Oxidizing properties	: No data available			
9.2. Other information				
No additional information available				
SECTION 10: Stability and reactivity				
10.1. Reactivity				
No additional information available				
10.2. Chemical stability				
10.3. Possibility of hazardous reactions				
No additional information available				
10.4 Conditions to avoid				
10.4. Conditions to avoid None under recommended storage and handling conditions (see section 7).				
10.5. Incompatible materials				
No additional information available				
10.6. Hazardous decomposition products				
No additional information available				
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity (oral)	: Not classified			
Acute toxicity (dermal)	: Not classified			
Acute toxicity (inhalation)	: Not classified			
TONALID (21145-77-7)				
ATE US (oral)	1000 mg/kg body weight			
	7940 mg/kg body weight			
ATE US (dermal)				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8 8	<i>y, , , , , , , , , , , , , , , , , , , </i>
PHENYL ETHYL ALCOHOL (60-12-8)	
LD50 oral rat	> 1790 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 808 mg/kg (Rabbit, Dermal)
LC50 Inhalation - Rat	> 1.4 mg/l (4 h, Rat, Inhalation)
ATE US (oral)	1610 mg/kg body weight
ATE US (dermal)	2500 mg/kg body weight
ETHYL LINALOOL (10339-55-6)	
ATE US (oral)	5000 mg/kg body weight
GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	 > 5000 mg/kg (Rabbit, Experimental value, Dermal)
ATE US (oral)	3600 mg/kg body weight
HELIONAL (1205-17-0)	2562 malla bady weight
ATE US (oral)	3562 mg/kg body weight
HEXYL CINNAMIC ALDEHYDE (101-86	•
ATE US (oral)	3100 mg/kg body weight
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1160 mg/kg body weight
LILIAL (80-54-6)	
ATE US (oral)	1390 mg/kg body weight
HYDROXYISOHEXYL 3-CYCLOHEXEN	E CARBOXALDEHYDE (31906-04-4)
LD50 oral rat	3230 mg/kg body weight (Rat, Literature study, Oral)
LD50 dermal rabbit	11200 mg/kg body weight (Rabbit, Literature study, Dermal)
ATE US (oral)	3230 mg/kg body weight
ATE US (dermal)	11200 mg/kg body weight
AMYL CINNAMIC ALDEHYDE (122-40-7	7)
LD50 oral rat	3730 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
ATE US (oral)	3730 mg/kg body weight
BENZYL SALICYLATE (118-58-1)	
LD50 oral rat	3031 – 3339 mg/kg body weight (EU Method B.1: Acute Toxicity (Oral), Rat, Male/female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male/female, Read-across, Dermal, 14 day(s))
ATE US (oral)	2200 mg/kg body weight
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity STOT-single exposure	: Suspected of damaging fertility or the unborn child. : Not classified
STOT-repeated exposure	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard Viscosity, kinematic	: Not classified : No data available
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12: Ecological information		
	12.1. Toxicity	
	Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
	TONALID (21145-77-7)	
	EC50 - Crustacea [1]	0.61 mg/l

EC30 - Clustacea [1]	0.61 mg/i	
NOEC chronic fish	0.035 mg/l	
PHENYL ETHYL ALCOHOL (60-12-8)		
LC50 - Fish [1]	220 – 260 mg/l (96 h, Leuciscus idus)	
EC50 - Crustacea [1]	287.17 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)	

GERANIOL (106-24-1)	
LC50 - Fish [1]	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

BENZYL BENZOATE (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

AMYL CINNAMIC ALDEHYDE (122-40-7)		
LC50 - Fish [1]	3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Experimental value)	
EC50 - Crustacea [1]	1.1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Experimental value)	
BENZYL SALICYLATE (118-58-1)		
LC50 - Fish [1]	1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	

12.2. Persistence and degradability

PHENYL ETHYL ALCOHOL (60-12-8)	
Biodegradable in the soil. Readily biodegradable in water.	
1.45 g O ₂ /g substance	
2.5 g O ₂ /g substance	
2.6 g O ₂ /g substance	
0.558	
Biodegradability in water: no data available.	
Readily biodegradable in water.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HELIONAL (1205-17-0)			
Persistence and degradability	Biodegradability in water: no data available.		
BENZYL BENZOATE (120-51-4)			
Persistence and degradability	Readily biodegradable in water.		
HYDROXYISOHEXYL 3-CYCLOHEXENE CARI	BOXALDEHYDE (31906-04-4)		
Persistence and degradability	Biodegradability in water: no data available.		
AMYL CINNAMIC ALDEHYDE (122-40-7)			
Persistence and degradability	Biodegradability in soil: no data available. Readily biodegradable in water.		
BENZYL SALICYLATE (118-58-1)			
Persistence and degradability	Readily biodegradable in water.		
2.3. Bioaccumulative potential			
PHENYL ETHYL ALCOHOL (60-12-8)			
Partition coefficient n-octanol/water (Log Pow)	1.38 (Experimental value)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
ETHYL LINALOOL (10339-55-6)			
Bioaccumulative potential	No bioaccumulation data available.		
GERANIOL (106-24-1)			
Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 23 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
HELIONAL (1205-17-0)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
BENZYL BENZOATE (120-51-4)			
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
•			
HYDROXYISOHEXYL 3-CYCLOHEXENE CARI Bioaccumulative potential	No bioaccumulation data available.		
AMYL CINNAMIC ALDEHYDE (122-40-7)			
BCF - Fish [1]	586 (Pisces, Calculated value)		
Partition coefficient n-octanol/water (Log Pow)	4.33 – 4.7 (Literature study)		
Bioaccumulative potential	Potential for bioaccumulation ($500 \le BCF \le 5000$).		
BENZYL SALICYLATE (118-58-1)			
BCF - Fish [1]	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow- through system, Fresh water, Read-across, GLP)		
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)		
Bioaccumulative potential	Potential for bioaccumulation (500 \leq BCF \leq 5000).		

GERANIOL (106-24-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.

BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE (31906-04-4)		
Ecology - soil	No (test)data on mobility of the substance available.	
AMYL CINNAMIC ALDEHYDE (122-40-7)		
Ecology - soil	Low potential for mobility in soil.	
BENZYL SALICYLATE (118-58-1)		
Surface tension	69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

No additional information available

13.1. Disposal methods	
Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

Department of Transportation (DOT)

In accordance with DOT

Not regulated

SECTION 15: Regulatory information		
15.1. US Federal regulations		

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

MUSK CONC. (GALAXOLIDE NEAT) CAS-No. 1222-05-5 5 – 10%
--

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H361	Suspected of damaging fertility or the unborn child

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.